

# IVIG Neurology Referral Form

Fax# 844-635-5250

## Patient Information

Patient Name: \_\_\_\_\_ Date: \_\_\_\_\_ SS#: \_\_\_\_\_  
Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip \_\_\_\_\_  
Phone(day): \_\_\_\_\_ Phone (night): \_\_\_\_\_ DOB: \_\_\_\_\_  
Sex: Male \_\_\_ Female \_\_\_ Height \_\_\_\_\_ Medication Needed By: \_\_\_\_\_  
Rx Insurance: \_\_\_\_\_ ID #: \_\_\_\_\_ Group #: \_\_\_\_\_ Phone: \_\_\_\_\_  
Medical Insurance: \_\_\_\_\_ ID #: \_\_\_\_\_ Group #: \_\_\_\_\_ Phone: \_\_\_\_\_

## Medical Assessment

Diagnosis (ICD-10):  
\_\_\_ Chronic Inflammatory Demyelinating Polyneuropathy (G62.81)      \_\_\_ Acute Infective Polyneuritis / Guillain -Barre Syndrome (G61.0)  
\_\_\_ Critical Illness Polyneuropathy / Acute Motor Neuropathy (G62.81)      \_\_\_ Dermatomyositis (M33.90)  
\_\_\_ Lambert - Eaton Myasthenic Syndrome (G73.3)      \_\_\_ Multifocal Motor Neuropathy (G61.9)  
\_\_\_ Multiple Sclerosis (G35)      \_\_\_ Pemphigus Foliaceus / Pemphigus Vulgaris (L10.0)  
\_\_\_ Polymyositis (M33.20)      \_\_\_ Myasthenia Gravis (G70.0)  
\_\_\_ Stiff Person Syndrome (G25.82)      \_\_\_ Other: \_\_\_\_\_

**Allergies:** \_\_\_\_\_  
Is this the first dose? \_\_\_ Yes \_\_\_ No    If No, date first dose given: \_\_\_\_\_    Target Start Date: \_\_\_\_\_  
**Vascular Access:** \_\_\_ Peripheral \_\_\_ PICC \_\_\_ Port \_\_\_ Other: \_\_\_\_\_

## Medication

**Patient's Current Weight:** \_\_\_\_\_ lbs

### **Administer IVIG**

**Product:**  Pharmacist to Determine (or)  Brand: \_\_\_\_\_

#### **Dosage:**

- Loading Dosage: Infuse \_\_\_\_\_ grams /kg via pump over \_\_\_\_\_ days.  
 Maintenance Dosage: Infuse \_\_\_\_\_ grams/kg via pump every \_\_\_\_\_ weeks    **Refills:** \_\_\_\_\_  
 Other Regimen: \_\_\_\_\_

### **Hizentra**

- Infuse \_\_\_\_\_ grams / kg via Freedom 60 pump weekly.    **Refills:** \_\_\_\_\_  
 Other Regimen: \_\_\_\_\_

**Anaphylactic Reactions:** Kits will be provided containing the following items.

**IVIG:** Epinephrine vial 1:1000 (1mg / ml) syringe, Diphenhydramine 25 mg capsules and 50 mg / ml 1 ml, 0.9% NaCL 500 ml bag

SIG: U.D. PRN Anaphylaxis

or

**Sub-Q IG:** Epipen 0.3mg / 0.3 ml Auto Injector – SIG: U.D. PRN Anaphylaxis

### **Flushing Protocol:**

**Adult** – Normal Saline (5ml) Sig: 3-5 ml IV pre / post + prn    -and-    Heparin 100 units / ml (5ml) Sig: 3-5 ml IV post  
**Child** - Normal Saline (5ml) Sig: 3-5 ml IV pre / post + prn    -and-    Heparin 10 units / ml Sig: 3ml IV post

### **Pretreatment Orders:**

\_\_\_ APAP 325mg or \_\_\_ 500mg PO 15-30 minutes before infusion.  
\_\_\_ Diphenhydramine 25mg PO 15-30 minutes before infusion.  
\_\_\_ Aspirin 325mg PO 15-30 minutes before infusion.  
\_\_\_ Other: \_\_\_\_\_

## Physician Prescription Orders

Physician Name: \_\_\_\_\_ Date: \_\_\_\_\_ Phone: \_\_\_\_\_ Nurse: \_\_\_\_\_  
Clinic: \_\_\_\_\_ Fax: \_\_\_\_\_ License #: \_\_\_\_\_ DEA #: \_\_\_\_\_

Physician Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Substitution permitted

**\*\*By signing this form and utilizing our services, you are authorizing Reliant Healthcare and its employees to serve as your prior authorization designated agent in dealing with medical and prescription insurance companies. \*\***